



Supreme Professional Camera Dolly System (DL-254-00)

Instruction Manual

PRO → **AIM**
└ CINEMA SERIES ┘

At Proaim, our goal is to ensure 100% Customer Satisfaction in all that we do.

We back our sales with a 1 year warranty from the date of purchase and work hard to resolve any problems in the unlikely event one should arise.

With our commitment to continuous improvement and your Feedback, building on our reputation of providing affordable, quality products is
PRIORITY #1.

■ Table of Contents

Subject	Page
Foreword	3
Introduction	4-5
Safety Hints	5-6
Assembling of Dolly Track	6-7
Assembling of Supreme Dolly	7-11
Warranty	12

■ Welcome To Proaim!

Dear Client,

On behalf of all the people that work so hard to provide you with the most up-to-date, flexible and cost-efficient production gear, we would like to welcome you into the Proaim family.

By purchasing your Proaim Supreme Professional Camera Dolly System , you have just joined a host of designers, engineers, machinists, assembly, customer service and office staff that take great pride in all that they do. Our mantra of continuous improvement has been the guiding principle of how we conduct our business since day one.

Once you have the opportunity to experience your new Supreme Professional Camera Dolly System, we hope you will agree that we craft quality products at a competitive price. Products designed to meet and exceed the standards of today's real production world.

Standards set by our valued clients and standards we strive to maintain.











With Best Wishes,
Proaim Team


Introduction

Proaim Supreme Dolly is a wonderful piece of equipment to own when making a movie because the movement of the camera adds to your project immediately improves the production value. It's strong enough to hold the camera and camera operator while pushed or pulled by a dolly grip. This is a vital piece of equipment for any Videomaker / Filmmaker and serves an important purpose in a Film.

What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.

CASE-1	DOLLY CONFIGURATION		
	 Foam Grip	 4 Platforms	 2 Double Pivot Track Wheels
	 Pushbar with Adapter	 4 leg Dolly Base	 2 Guide Track Wheels
CASE-2			
	 BZ-286-00 BA-267-00 EM-259-00 Bazooka	 Swivel Seat Mechanism	 Seat Support Arm
		 Single Pivot Seat	 Seat Rod



Safety Hints

ATTENTION: PLEASE READ THIS BEFORE USING TO PREVENT SERIOUS DAMAGE TO THE GEAR!

IN CASE YOU HAVE PURCHASED THE TRACK

The Proaim Supreme Professional Camera Dolly System is designed to deliver ultra-smooth camera movement, and years of service.

This is accomplished by using materials and components of the highest quality that are extremely expensive. To avoid costly damage, and experience its full potential, please observe the following guidelines.

NEVER USE THE TRACK IN SAND, DIRT, CAUSTIC, OR SALT WATER ENVIRONMENTS!

This will cause irreparable damage to the bearings and rails, requiring complete replacement!

DO NOT OVERTIGHTEN CARRIAGE BRAKE!

Needlessly over tightening the carriage brake can cause misalignment and severely damage the roller bearings!

ONLY USE YOUR HAND TO LOCK OR RELEASE THE CARDELLINI HEAD LOCK!

Serious damage will result if it is wrenched on, or hammered off. Hand tighten only!

NEVER STRIKE OR PUT METAL OBJECTS ON THE RAILS!

This can cause nicks and dings which will result in unsteady movement and image vibration!

ALWAYS USE EXTREME CAUTION WHEN USING THE TRACK ON A TRIPOD!



Load shift occurs when the camera moves along the track. This can cause the camera and slider to tumble over resulting in catastrophic damage! Always use sandbags on the legs and support on the ends to prevent this!

FOLLOWING THESE GUIDELINES WILL PROVIDE BETTER SHOTS AND TROUBLE-FREE OPERATION.

SHOULD YOU NEED ADDITIONAL INFORMATION, TECHNICAL ASSISTANCE IS AVAILABLE 'ONLINE' BY CONTACTING YOUR SALES REPRESENTATIVE

■ Assembling the 6x 4' Sections of Dolly Track

- Using the sections with the attached nylon bushings remove the outboard set of screws, slide an extension section on to each end to complete a 12' run and install and tighten the screws to secure.



- Attach the end stoppers for track rigidity and to prevent your dolly from running off the rails.



■ Assembling of Supreme Dolly



- Your Dolly base is shipped with the leg extensions collapsed. Pull the legs from the dolly base, insert 4 long bolts (supplied) and tighten to secure.



- Insert the 5th leg used to mount the 'puller' bar and handle and Now turn the whole unit upside down.



- Insert the wheels as shown into the legs and tighten them using the provided bolts.




- Whole legs are attached and Place the dolly on the track .



- Mount the round base plate that supports the seat and tighten with the supplied Allen bolts with the key.



- The 4 platform plates can be attached using the Velcro straps.



- Mount the Telescopic Bazooka on the round base plate. Tighten the Bazooka to the base plate using the supplied Allen bolts and key.




- Insert the seat support side arm into the holder then insert the seat rod and tighten the knob as shown in the image.



- Add the seat and post as shown. Vertical height adjustment is made.



- Tighten the brake of swivel seat mechanism to hold at one position.



- Insert the Pushbar into the dolly and adjust the length of the pushbar with the help of provided knob.



- Add the foam grip handle to the pushbar and tighten it. Grips are fully foam padded for comfort.



**YOUR PROAIM SUPREME PROFESSIONAL CAMERA DOLLY SYSTEM
ALL DRESSED UP AND READY TO GO**



(SHOWN WITH OPTIONAL ACCESSORIES)

WARRANTY

We offer a one year warranty for our products from the date of purchase.

We will repair or replace your product, free of charge, in the event of a defect in materials or craftsmanship obtained during normal use or handling based on the user manual. Please note that we will not cover any shipping costs for returning the product to us. If any VAT or import duties are applied to the return, we will also charge these costs to the customer.

The warranty does not include, by the way of example, damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product , or service by anyone other than our company.

We are not liable for incidental or consequential damages resulting from the use of the unit or occurring due to any breach of this warranty.

Replacement parts of the product will be provided at nominal cost (covering the cost price of the replacement parts only) to the customers after the Warranty Period has expired. We will cover the complete cost of sending replacement parts within the warranty period. After that, Nominal cost of the product & Actual shipping cost will be charged.

Do not send the unit to us without first getting a response and getting the approval to send back the item.

In case of any kind of dissatisfaction, we urge you to Contact us immediately and we shall do our Best to help you out. For any other assistance you can reach us via email.

For any other assistance you can reach us via email.