

# AV PRO SD MK2 | V60

SDXC™ | UHS-II



FOR FULL HD, 4K+  
AND RAW VIDEO AND PHOTO



ANGELBIRD.COM













64 GB | 128 GB | 256 GB



# AV PRO SD MK2 V60

TODAY'S ENDLESS BIT DEPTH, HIGH FRAME RATES AND HIGH RESOLUTIONS—4K AND BEYOND—REQUIRE STORAGE SOLUTIONS THAT ARE JUST AS ADVANCED. MEMORY CARDS NEED TO BE FAST, HIGH CAPACITY, WIDELY COMPATIBLE AND, OF COURSE, EXTREMELY RELIABLE. OUR AV PRO SD MK2 V60 CARDS ARE BUILT TO MEET THOSE DEMANDING CRITERIA FOR EXTREMES OF TEMPERATURES, HUMIDITY AND SHOCK, WHICH ARE COMMON CHALLENGES.

## FEATURES

 <p><b>SDXC™   UHS-II U3   Class 10   V60</b></p>	 <p><b>Read Speed 280 MB/s Write Speed 160 MB/s</b></p>
 <p><b>64 GB   128 GB   256 GB</b></p>	 <p><b>Read Speed 260 MB/s Write Speed 140 MB/s</b></p>
 <p><b>Records Full HD, 4K+ and RAW Video and Photo</b></p>	 <p><b>Stable Stream™</b> Maintains Performance for the Capacity of the Card</p>
 <p><b>Shock, Dust, Splash Water &amp; Temperature Proof</b></p>	 <p><b>X-Ray, Magnetic &amp; ESD Proof</b></p>
 <p><b>Temperature Resistance:</b> Operating: -25 °C   85 °C Storage: -40 °C   85 °C</p>	 <p><b>Built-In Write Protect Switch</b></p>
 <p><b>Sticker-Free™</b></p>	 <p><b>Free Data Recovery Service</b> at Hardware &amp; Software Level</p>

## MEMORY CARDS

Specifications are subject to change without notice.  
Specifications are provided "as is" without warranty of any kind.  
2021.01.29.1226

# SPECIFICATIONS | ORDERING

# AVPRO SDMK2V60

## General Specifications

### FORM FACTOR

SD

### CAPACITIES

64 GB | 128 GB | 256 GB

### UNIT DIMENSIONS

32 × 24 × 2.1 mm  
(1.26 × 0.94 × 0.08 in)

### UNIT WEIGHT

~ 2 g

## Technical Specifications

### INTERFACE

SDXC™, SD 6.1, UHS-II

### FEATURES

Write Protection by Mechanical Switch,  
Wear Leveling, Power Management  
for Low Power Usage, ECC, Water  
Resistant

## Performance Specifications<sup>1</sup>

### SEQUENTIAL SPEEDS

Read: 280 MB/s

Write: 160 MB/s

### SUSTAINED SPEEDS

Read: 260 MB/s

Write: 140 MB/s

## Reliability Specifications

### DATA RELIABILITY

ECC Function

### CERTIFICATIONS

RoHS, CE, FCC

## Electrical Specifications

### DC INPUT VOLTAGE

1.8 V ± 5 %

### POWER USAGE (idle/max)

2 mW / 1.2 W

## Environmental Specifications

### TEMPERATURE RESISTANCE

Operating: -25 °C | 85 °C

Storage: -40 °C | 85 °C

### OPERATING HUMIDITY

25 % to 85 % Non-Condensing

## For Use With

Blackmagic Design | Canon | Fujifilm  
Hasselblad | Leica | Nikon | Olympus  
Panasonic | Pentax | Sony | and Others

## Warranty<sup>2</sup>

3-Year Limited Warranty

## Package Content

- AV PRO SD MK2 V60
- Activation Code for Full Limited Warranty

## Retail Packaging Details

### BOX DIMENSIONS

112 × 20 × 130 mm

(4.41 × 0.79 × 5.12 in)

### BOX WEIGHT

~ 55 g | ~ 1.94 oz.

<sup>1</sup> Speeds based on internal testing.

Actual transfer rates and capacity may vary depending on the product model, system hardware and other factors.

<sup>2</sup> To receive the full limited warranty, the product needs to be registered on the Angelbird Personal Service Portal within 30 days after purchase. If not registered within this period, the market-specific legal guarantee period comes into force.

This device complies with Part 15 of the FCC Rules. SD™ and SDXC™ are trademarks of SD-3C LLC.

Other product names used herein are for identification purposes only and may be trademarks of their respective owners. Angelbird disclaims any and all rights in those marks.

Blackmagic Design® is a registered trademark of Blackmagic Design Pty. Ltd.  
Canon® is a registered trademark of Canon Inc.  
Fujifilm® is a registered trademark of Fujifilm Ltd.  
Hasselblad™ is a trademark of Victor Hasselblad AB  
Leica™ is a trademark of Leica Microsystems IR GmbH  
Nikon® is a registered trademark of Nikon Corporation  
Olympus® is a registered trademark of Olympus Corporation  
Panasonic® is a registered trademark of Panasonic Corporation  
Pentax™ is a trademark by Hoya Corporation in Tokyo  
SONY® is registered trademarks of Sony Corporation

## ORDERING INFORMATION

●	Capacity	SKU	EAN	UPC
●	64 GB	AVP064SDMK2V60	9120056584734	812937023553
●	128 GB	AVP128SDMK2V60	9120056584741	812937023560
●	256 GB	AVP256SDMK2V60	9120056584895	812937023713

# MEMORY CARDS