

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Product catalogue DSLR accessories 09/2010

Lightweight support
Follow focus system– Studio rig
MatteBox
Fluid zoom drive
MonitorPack, lens support bracket
Carrying handle, hand bars

Chrosziel GmbH

Klausnerring 6
D-85551 Heimstetten b. München / Munich Germany
Phone +49 89 90 10 91 0, Fax +49 89 44 70 86 1
E-Mail info@chrosziel.de, Web www.chrosziel.de

Managing Directors: Harm Abrahams, Jürgen Nußbaum
HRB 158740 Amtsgericht München • VAT ID Nr. DE 249425648
For our deliveries and services solely our General Terms of Trade
apply. 07/2010

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Lightweight support



LWS Lightweight supports:

They consist of a base plate / construction which brings your camera on a normal height, a rod clamping and the actual support rods. This aluminium rods have a Ø of 15mm.

With the suitable LWS for your camera, various accessories are compatible, e.g. follow focus system, MatteBox, lens support brackets and many others.

The lightweight support 401-421S comes with a twist stopper (see picture on the right).

LWS 401-93 for Canon EOS 1D holds the camera in place by means of the rod clamping (see picture above).

For tripod use a 1/4" and 3/8" thread on the basic unit of your support is available.



401-83
extension rods



The standard rods of our lightweight supports have a screw-in thread, for optional use extension rods.

Lightweight support, choose according to your camera:

		Rec. retail price
401-421S	LWS Lightweight support with twist stopper for DSLR e.g. Canon EOS 5D MKII, Canon 550D, Canon EOS 7D Nikon D90 with rods Ø 15mm, length 205mm	315,00 €
401-425	LWS Lightweight support for EOS 7D with FGV PL54 Bajonett with wedge plate and rods Ø 15mm, length 205mm	339,00 €
401-93	LWS Lightweight support for DSLR camera with big size housing, e.g. Canon 1D MK IV, Canon 5D MK II with battery pack, Nikon D3 with rods Ø 15mm, length 100mm	299,00 €

Accessories for your lightweight support:

401-01VT	VariTube® telescopic rods (1 pair), length 150-230mm	98,00 €
401-14	Extension rods 50mm (1 pair)	30,00 €
401-83	Extension rods 100mm (1 pair)	30,00 €
401-83-190	Extension rods 190mm (1 pair)	52,00 €



401-421S

Lightweight support DSLR (see above), incl. twist stopper for a.m. cameras and others with same camera body size



401-93

Lightweight support DSLR cameras with big size housing, e.g. Canon 1D MK IV, Nikon D3, Canon 5D MK II with battery pack



401-425

Lightweight support for Canon EOS 7D with FGV PL54 Bajonett mount, incl. wedge plate for mounting on quick-lock resp. tripod plate



401-01VT

VariTube® telescopic rods are adjustable in length from 150mm – 230mm e.g. for 401-93 LWS

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Follow focus system - Studio Rig



Follow focus system:

Helps you to pull focus precisely and to mark your focus range on the scale of the handwheel. Already adjusted for the next shoot.

The mentioned Studio Rigs are equipped with 15mm rod clamping, handwheel with scale and focus drive mod 0.8.

Follow focus system:

206-01S-12	DV Studio Rig follow focus system, complete with handwheel, scale, focus drive mod 0.8	1.229,00 €
206-40S	Studio Rig Photo with reverse gear, complete with handwheel, scale, focus drive mod 0.8	1.334,00 €
206-50S-12	DV Studio Rig follow focus system, complete with VariLock® handwheel, scale, focus drive 0.8	1.344,00 €
206-45S	Studio Rig Photo with reverse gear, complete with VariLock® handwheel, scale, focus drive 0.8	1.449,00 €

Gear ring, please choose according to your lens (all mod. 0.8):

201-19	Gear ring fix for Canon EF 24-105mm Ø 82mm	113,00 €
206-753	Gear ring splitted for Canon EF-S 18-135mm Ø 75.3mm	133,00 €
206-720	Gear ring splitted for Canon EF 15-85mm Ø 72.0mm	133,00 €
206-836	Gear ring splitted for Canon EF 24-70mm Ø 83.6 mm	133,00 €
206-30	Gear ring flexible adjustable, for photo lenses Ø 60-120mm, rotation angle approx. 270-320°	109,00 €

To mount your follow focus system, use a rodsystem with 15mm. Please choose the suitable lightweight support for your camera.

VariLock® handwheel – gives you the opportunity to fix two variable focus points – you can work even without an additional operator.



206-40S & 206-45S Studio Rigs are equipped with a reverse gear. Some lenses rotate against the standard rotating direction (standard e.g. is Canon EF) therefore a reverse gear is necessary to come back to the usual rotating direction.



Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size

Follow focus systems - Studio Rig Kits



*Picture shows Canon EOS 1D:
mounted with individual components – consisting of:
206-01S-12 DV Studio Rig with focus drive mod 0.8
206-30 Gear ring flexible
401-93 Lightweight support*



Rec. retail price

Furthermore we offer Kits especially compsed according to your camera and lens:

- | | | |
|---------------------|--|------------|
| 206-EOS5Dkit | Follow focus kit for Canon 5D with <u>Canon EF 24-105mm</u> , consisting of:
206-01S DV Studio Rig follow focus system, cpl. with handwheel & scale
206-12 Focus drive for gear rings, mod 0.8, Ø 36.8, 44 teeth
201-19 Gear ring fix, for Canon EF 24-105mm 1:4 IS UMS Ø 82mm
401-421S LWS Lightweight support, incl. twist stopper for DSLR with videofunction | 1.657,00 € |
| 206-EOS7Dkit | Follow focus kit for Canon 7D with <u>Canon EF-S 18-135mm</u> , consisting of:
206-01S DV Studio Rig follow focus system, cpl. with handwheel & scale
206-12 Focus drive for gear rings, mod 0.8, Ø 36.8, 44 teeth
206-753 Gear ring fix, for Canon EF-S 18-135mm, Ø 75.3mm
401-421S LWS Lightweight support, incl. twist stopper for DSLR with videofunction | 1.677,00 € |
| 206-DSLRskit | Follow focus basic-kit for DSLR cameras, consisting of:
206-40S Studio Rig Photo, complete with scale, reverse gear & focus drive mod. 0.8
206-30 Gear ring flexible, adjustable from Ø 60 - 120mm (e.g. for Nikon D90 lenses)
401-421S LWS Lightweight support, incl. twist stopper for DSLR with videofunction | 1.758,00 € |

*If you use other lenses or other combinations, please
create your own package corresponding to your application.*

*In conjunction with Schneider-Kreuznach Cine-Xenar
lenses, we offer further Mattebox and StudioRig Kits for
Canon EOS 7D and Canon EOS 7D with PL mount.
Please have a look on the infopages for the Cine-Xenar
lenses and accessories.*

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



MatteBox, SunShade – for use of filters and for light prevention



MatteBox 450-R20 with 450-20 Flexi-Insertring, mounted on 401-93 lightweight support on Canon EOS 1D camera.

MatteBoxen and SunShades allow the use of glass filters. They improve picture quality because they prevent from stray light. Lenses with tube or rotating front element can only be used with restrictions.

MatteBox to mount on 15mm lightweight support rods:

		Rec. retail price
450-R20	MatteBox 450R2 with double filterstage, 16:9 mask, French Flag (450-11), 2 rotating filterholders 4x4 (402-12) and multifilterholder 4x4/4x5.650 (410-04), pivot mechanism (for use of additional side wings), rod clamping for LWS Ø 15mm, end plate with thread Ø110mm	972,00 €
450-R10	MatteBox 450R1, incl. French Flag 450-12, 1 rotating filterholder multifilterholder 4x4/4x5.650 (410-04), rod clamping for Ø 15mm rods, end plate Ø110mm	604,00 €
450-20	Flexi-Insertring with Ø 110mm thread for use on lenses with external diameter from Ø 75mm to Ø 98mm	67,00 €
450-22	Flexi-Insertring with Ø 110mm thread for use on lenses with external diameter from 50 mm to 85 mm	67,00 €
410-39P	Insertring Ø 110:85 mm (with 22mm tube) for lenses with focus fore stroke	58,00 €
450-10	Set of side wings (left and right) for MB 450-R20	282,00 €
450-10PM	Set of side wings (left and right), incl. pivot mechanism for MB 450-R10	328,00 €

SunShade for standard lens on Canon EOS 7D - Canon EF-S 18-135mm:

S1001	SunShade 3x3 incl. 2 filterholders 3x3, 1x rotating 160° and 1x fix, clamp adaptor Ø 85mm	380,00 €
S1001-67	Adaptor Ø 85:M 67mm for standard lens Canon EF-S 18-135mm	29,00 €

To mount your MatteBox system, use a rodsystem with 15mm. Please choose the suitable lightweight support for your camera.



SunShade S1001 mounted on Canon EOS 7D with Canon EF-S 18-135mm



*450-R10
MatteBox with 1 filterstage*



*410-39P
Insertring
with tube*



*450-20
Flexi-Insertring, can be enlarged to
fit on various lens diameters*

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Rec. retail price

Fluid zoom drive



Fluid zoom drive:

102-13	Fluid zoom drive mod. 0.8, incl. 2 zoom sticks (short and long)	771,00 €
EU15	Extention unit Ø 15:15mm, with Ø 15mm rod	75,00 €

Gear ring, please choose according to your lens (all mod 0.8):

206-740	Gear ring fix for Zoom on Canon EF-S 18-135mm, Ø 74.0mm	133,00 €
206-785	Gear ring splitted for Zoom on Canon EF 24-105mm 1:4.0 ISUMS, Ø 78,5mm	133,00 €
206-836	Gear ring splitted for Zoom on Canon EF 24-70mm Ø 83.6 mm	133,00 €
206-30	Gear ring flexible adjustable, for photo lenses Ø 60-120mm, rotation angle approx. 270-320°	109,00 €

Fluid zoom drive

*allows smooth zoom control. The integrated damping mechanism adjusts variably and adapts to the zoom behaviour of each lens.
Even extremely smooth-running zoom gears can be operated smoothly and with high precision.*

To mount your Fluid zoom drive, use a rodsystem with 15mm. Please choose the suitable lightweight support for your camera.



Fluid Zoom Drive mounted on lightweight support, incl. further Chrosziel accessories on Canon EOS 5D MK II



206-740
Gear ring



206-30
Gear ring, flexible



Recommendation - EU15:

*The bracket increases the mouting radius of your Fluid zoom drive to dia 15mm LWS rods.
Required for short zoom lenses and with further combination accessories like follow focus etc.*

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size

MonitorPack, lens support bracket



MonitorPack 550-01 mounted with 1/4" thread on light weight support with further accessories.



Lens support bracket 401-33 mounted on 15mm lightweight support rods to release the lens mount of your camera.



*401-33 (on LWS 401-421S)
Lens support with reverse lock nut screw. With the 5mm pivot of the screw the tripod connection of tele lens can be used to support the lens.*



*401-34
Lens support with 1/4" connection*



*550-01
MonitorPack delivery range*

MonitorPack:

550-01 MonitorPack DSLR consisting of:

- 7" Monitor with HDMI input, incl. battery adaptor
- 4000 mAh Li-Ion battery (type: Sony NP-Q Battery 7.2V)
- charger with power supply and plug for car outlet
- HDMI cable-adaptor 0,5m
- articulated arm (550-MA) with 1/4" threads

1.790,00 €

550-MA Articulated arm with central clamp and two 1/4" threads
(already included with 550-01)

138,00 €

Lens support bracket :

401-33 Lens support bracket Universal Photo, for lenses Ø50 to 120mm

224,00 €

401-34 Lens support bracket Tele, for Tele lenses with 1/4" tripod-connection, adjustable between 4 to 11mm above support rods

322,00 €

To mount your lens support bracket, use a rodsystem with 15mm. Please choose the suitable lightweight support for your camera.

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Shoulder support, carrying handle, handle bars



The shoulder support 3025 DV-Balancer® very easily positions the camera and the hands remain free.



Use the 3025 DV-Balancer® for handheld shots from the shoulder. Fits directly on the LWS or with 1/4" screw.

Shoulder support, carrying handle, handle bars

		Rec. retail price
3025	DV-Balancer® shoulder support, classic version with flat belly rest for cameras up to 4 kg.	431,00 €
3035	Shoulder pad proVideo, straight connection to LWS	179,00 €
403-10	Handle bar proVideo to mount on 15mm LWS rods, grip width approx. 180mm	89,00 €
403-20	Handle bar proVideo plus to mount on 15mm LWS rods, grip width approx. 270mm	89,00 €
3300	Carrying handle to use with LWS light weight support	144,00 €
3310	Accessory clamp for DSLR handle 3300 and Ø 15mm rods, with threads 3/8" and heli coil 1/4"	17,00 €

*For use of this systems you need a 15mm lightweight support.
Please choose the suitable lightweight support for your camera.*

3035

proVideo shoulder pad is the lowest price version, allows the guiding of your camera while supported on your shoulder.



Shoulder pad proVideo 3035 mounted on Chrosziel LWS lightweight support with proVideo handle bar 403-10.



403-10 und 403-20

proVideo handle bar is an additional carrying version to mount on 15mm LWS lightweight support rods.



403-20 NEW
with enlarged
grip width



403-10

3300

Use your DSLR camera as portable video camera with the Chrosziel hand grip (3300). For mounting on Chrosziel lightweight supports (LWS 401-4xx). Tool-free installation, also useable with tripod plate mounted.



3310 accessory clamp

