

Chrosziel MagNum Mini

1-Channel Wireless Focus Control



- **Mini** – but strongest, fastest and most responsive
- **Classy** – but industry workhorse and reliable
- **Unique** – but versatile, universal and affordable

Based on more than 25 years of experience in making Lens Control Systems – the Chrosziel MagNum Mini.


The MagNum Mini – perfectly suited for Gimbal, Handheld, Drone and Steadicam shots.




Drone




Handheld




Gimbal



Steadicam



Features MagNum Mini and Hand Unit



**REC Camera Run
Start / Stop Key**

**High contrast multi-colour
OLED display**

**4 assignable User Keys
with Recall:**

Focus Limits (Limit Wheel), Focus Limits spread to full focus disk (Spread Wheel), Focus Wheel Lock, LED light on / off, Camera Run, Calibrate Motor


Left-handed mode

**Ergonomic hand/finger
supports**

Lightest weight



MagNum MN-100T hand unit



MagNum MN-150T hand unit

Name	Receiver	Hand Unit	Motor	Motor Cable MOTD60-S	D-Tap Power cable MN-AB	Cold Shoe Adap- ter MN-RMB1	Battery, Char- ger, Neckstrap	Case	Product No.	Net List Price
MagNum Mini Superior Kit CDM-100S	✓	MN-150T	Chrosziel CDM-100S	–	1x	1x	1x	1x	MN-MINI-SUPKIT-C	4.950,00€
MagNum Mini Superior Kit Heden	✓	MN-150T	Heden M26VE	1x	1x	1x	1x	1x	MN-MINI-SUPKIT-H	5.750,00€
MagNum Mini Superior Kit	✓	MN-150T	–	1x	1x	1x	1x	1x	MN-MINI-SUPKIT-O	4.150,00€
MagNum Mini Superior	✓	MN-150T	–	–	–	–	1x	–	MN-MINI-SUP	3.650,00€
MagNum Mini Kit CDM-100S	✓	MN-100T	Chrosziel CDM-100S	–	1x	1x	1x	1x	MN-MINIKIT-C	4.150,00€
MagNum Mini Kit Heden	✓	MN-100T	Heden M26VE	1x	1x	1x	1x	1x	MN-MINIKIT-H	4.950,00€
MagNum Mini Kit	✓	MN-100T	–	1x	1x	1x	1x	1x	MN-MINIKIT-O	3.350,00€
MagNum Mini	✓	MN-100T	–	–	–	–	1x	–	MN-MINI	2.850,00€
MagNum Mini Receiver	✓	–	–	–	–	–	–	–	MN-MINI-R	1.250,00€

MagNum Mini Receiver

Dimension:	91 x 53 x 19 mm (3.58 x 2.09 x 0.75 in.)
Weight:	120 g (4.23 oz)
Power:	10-30 V, max. 2 A
Connectors:	• Motor Lemo 0B 7-Pin • Power with Cam Run / Stop Lemo 0B 5-Pin • Cam Run / Stop Lemo 0B 9-Pin • Standard USB-Interface
Screw Threads:	4 x 1/4" 20
Status LEDs:	Motor, Power, Cam Run / Stop, USB, RF signal
RF Channel Selector:	11 x 2.4 GHz Range Channels 5 - F
RF Transmission Distance:	+ 100 m (330 ft), depending on environment

Compatibility:

The Chrosziel MagNum Mini is compatible with the Chrosziel Digital Motor CDM-100S as well as all major digital lens motors. It can be controlled by the Chrosziel MagNum Hand Unit MN-100T, MN-150T and MN-200T.

MagNum Hand Unit

Dimension:	180 x 150 x 115 mm (7.09 x 5.91 x 4.53 in.)
Weight (MN-150T / MN-100T):	625 g (22.05 oz) / 520 g (18.34 oz)
Power:	max. 9 V, 100 mA
Battery Type:	7.5 V, Sony FM50 / 55 Li-Ion rechargeable
Screw Threads:	5 x 1/4" 20
Connectors:	LED gooseneck light Lemo 2-Pin Standard USB-Interface
Display:	Multi-colour OLED display 128x128 pixel resolution

