



WWW.BGRIP.COM

b-grip™ UNO

ISTRUZIONI D'USO

INSTRUCTIONS

*The b-grip™ line is developed
and manufactured by*



CPTECH SRL
Via del Maccabreccia, 27
40012 Lippo di Calderara di Reno (BO) Italy

info@bgrip.com

ITA

ISTRUZIONI D'USO

Grazie per aver scelto un prodotto *b-grip™*.
Per utilizzare al meglio "*b-grip™* UNO" leggere attentamente le seguenti istruzioni.

CONTENUTO DELLA CONFEZIONE:

- A** Base di aggancio
- B** Cavallotto filettato per zaini e borse
- C** Aggancio sagomato per cintura




ENG


INSTRUCTIONS

Thank you for choosing a *b-grip™* product.
To get the best performance from your "*b-grip™* UNO" read carefully the instructions.

CONTENT:

- A** UNO holster main body
- B** U-bolt connector for backpacks and bags
- C** Shaped bolt for belts





ITA

Sbloccare la sicura rossa e ruotare la leva nera di sgancio.

ENG



Unlock the red safety lock lever and rotate the black release lever.

ITA

Arretrare la piastra

ENG

Pull back the plate



ITA



Estrarre la piastra

ENG

Remove plate

ITA Fissare la piastra alla fotocamera
tramite la vite da ¼"

ENG *Secure plate to camera
by the ¼" screw*



5

ITA Utilizzare una moneta
per stringere adeguatamente la vite.


ENG *Tight properly the screw by a coin.*


ITA

Fissaggio su zaino e tracolla borsa tramite il cavallotto filettato.

ENG

Attachment on backpacks and bag straps by the U-bolt connector.







ITA

Fissaggio a cintura
con aggancio sagomato.

ENG

Attachment to belt by shaped bolt.





ITA

NOTA: La piastra di *b-grip™ UNO* è compatibile con le teste treppiede di misura ARCA.

ENG

*Note: The *b-grip™ UNO* plate is compatible with all ARCA type tripods.*



WARRANTY TERMS

All CPtech products have been produced with care and 100% quality control has been applied. During product development stage all the products and used materials have been exposed to usage and chemical tests and their performance has been evaluated to ensure high customer satisfaction.

The warranty offered for this CPtech product is Lifetime Limited Warranty unless otherwise stated on the packaging of the product. We warrant that all of the products are free from defects in material and in workmanship.

The warranty does not apply to damage caused by abnormal or unreasonable use, use beyond the product's intended purpose, tampering, alterations, unauthorized product repairs, neglect, accidents, abrasion, exposure to extreme temperatures, solvents, acids, normal wasting for long usage and tear damage.

CPtech's warranty applies only to CPtech products and it does not apply to any non-CPtech product, even if packaged or sold with it. This warranty specifically excludes any kind of damages to items stored or carried in CPtech products.

We recommend that you treat all b-grip™ parts with care. Exposure to direct heat and sunlight might cause slight changes in appearance. Do not use any chemical cleaners to care for this product and do avoid its direct contact with chemicals and damp/wet surfaces. Contact with chemicals might cause damages on the material. To maintain the beauty of your b-grip™ you can clean it with water and soap, than dry it.

Occasionally a light lubrication of the locking lever should be needed.

During long usage we recommend to periodically check the correct tightening of the universal screw.

You don't need to do anything to activate the warranty. By the time you purchase a CPtech product the warranty starts.

If you see any defect at the material or workmanship at the time of purchase or if you experience any problem with the product while using it, please contact us through the "Contact Page" at www.bgrip.com link and state your product's model name, colour, defect's description, your location and contact details.