

## Professional Screens

for perfect projection

- **Cost-effective**  
unparalleled price/performance ratio
- **Professional quality**  
steel or aluminium housing  
fiberglass based projection surface
- **Immediate delivery**  
from our stock in Ugingen





## PictureMaster

### Mobile – stable – simple to set up

PictureMaster are mobile yet surprisingly stable tripod screens. They are simple to set up and offer a very wide height adjustment range. The High-Low Case Adjustment System allows for use even in rooms with a very low ceiling. The screen can even be set up as close as 56 cm to the wall with the tripod foot touching the wall. The PictureMasters come standard with a built-in keystone eliminator to tilt the screen to compensate for distortion due to angled projection.

PictureMaster specifications	152 <sup>2</sup>	178 <sup>2</sup>	213 <sup>2</sup>
	Square Format		
Format incl. 2x 32 mm black masking borders			
Width (mm)	1520	1780	2130
Height (mm)	1520	1780	2130

## WallMaster

### Manual Screen with spring-loaded roller mechanism

The cost-effective manual wall and ceiling screen. WallMaster screens make their mark by virtue of their simple set up and user-friendly operation. The screen can be rolled out and locked to any format desired thanks to the fully-adjustable spring-loaded roller mechanism.

The housings are painted with a shock and scratch-resistant white powder coating. The surface is extra-flat and hangs perfectly even. All available sizes (see below) come standard with black masking borders. Video format sizes are especially suited for home cinema use. Useful accessories are also available, such as a pull rod and mounting brackets. All screen surfaces are seamless.



WallMaster Formats	152 <sup>2</sup>	178 <sup>2</sup>	213 <sup>2</sup>	244 <sup>2</sup>	72"	84"	100"	120"	92"	106"
	1:1 Format				4:3 Format				16:9 Format	
Formats										
Width (mm)	1520	1780	2130	2440	1450	1700	2030	2340	2030	2340
Height (mm)	1520	1780	2130	2440	1090	1270	1520	1750	1140	1320
Housing										
Width (mm)	1610	1860	2220	2520	1610	1860	2220	2520	2220	2525

## WallMaster II Deluxe

### Professional quality for highest demands at a fair price

Manual, cost-effective screen for wall, ceiling or suspended mounting. The slim, elegant square bar housing is white coloured aluminium. Easy and quick installation due to adaptors for easy mounting. The roll up system with speed

control pulls the screen surface automatically back into its housing after a short pull on the handle.

The size of the projection surface is adjustable to any height. HDTV formats come with additional black drop, which allows for the screen to be mounted in a standard eight foot ceiling to bring the screen to a comfortable viewing height.



WallMaster Formats	178 <sup>2</sup>	203 <sup>2</sup>	234 <sup>2</sup>	84"	100"	120"	92"	106"
	1:1			4:3		16:9 Format		
Formats								
Width (mm)	1780	2030	2340	1700	2030	2340	2030	2340
Height (mm)	1780	2030	2340	1270	1520	1750	1140	1320
Housing								
Width (mm)	1900	2204	2508	1864	2204	2508	2204	2508

## ElectricMaster II

### Professional quality at a low price

The easy mounting set allows for fast and easy installation on the wall or on the ceiling. An IR-receiver is integrated in the elegant, slim aluminium housing. A handheld remote control is included. An additional, wired IR receiver is provided for concealed installation in the screen housing. The very quiet Synchromotor and

adjustable limit switches make the ElectricMaster II the ideal choice for most applications. The black rear surfaces and the black masking borders guarantee best contrast and full reflection of projection light. HDTV-Formats come with additional black drop, which allows for the screen to be mounted in a standard eight foot ceiling to bring the screen to a comfortable viewing height.



ElectricMaster II Formats	178 <sup>2</sup>	203 <sup>2</sup>	84"	100"	120"	92"	106"	136"
	1:1 Format		4:3 Format			16:9 Format		
Formats plus 50 mm black masking borders								
Width (mm)	1780	2030	1710	2030	2400	2030	2340	3000
Height (mm)	1780	2030	1280	1520	1800	1140	1320	1690
<b>Housing</b>								
Width (mm)	2040	2344	2024	2344	2714	2344	2648	3324

## ElectricMaster II Deluxe

### Professional quality for highest demands

The Easy-Mounting set allows for fast and easy installation on the wall or on the ceiling.

An IR-receiver is integrated in the elegant, slim aluminium housing. A handheld remote control is included. An additional, wired IR-receiver is provided for concealed installation in the screen housing. The solid housing, the warp resistant roller and the heavy bar ensure the perfect flatness of the screen. The very fast and quiet Somfy-Motor and adjustable limit switches make the ElectricMaster II Deluxe the ideal choice for most

applications. The black rear surfaces and the black masking borders guarantee best contrast and full reflection of projection light. HDTV-formats come with additional black drop, which allows for the screen to be mounted in a standard ceiling to bring the screen to a comfortable viewing height.




ElectricMaster II Deluxe Formats	100"	120"	150"	92"	106"	120"	150"
	4:3 Format			16:9 Format			
Formats plus 50 mm black masking borders							
Width (mm)	2030	2400	3050	2030	2340	2656	3320
Height (mm)	1524	1800	2286	1145	1320	1494	1867
<b>Housing</b>							
Width (mm)	2344	2654	3364	2344	2654	2970	3634

## In Ceiling Mounts for ElectricMaster II and EM II Deluxe



Type	fits for screen type	Frame length
White aluminium frame width 100 mm		
Type 1	EM II 4:3 84"	2124
Type 2	EM II 1:1 178 <sup>2</sup>	2140
Type 3	EM II DX 16:9 92"	2434
	EM II DX 4:3 100"	
Type 4	EM II 1:1 203 <sup>2</sup>	2444
	EM II 16:9 92"	
	EM II 4:3 100"	
Type 5	EM II DX 16:9 106"	2744
	EM II DX 4:3 120"	
Type 6	EM II 16:9 106"	2748
Type 7	EM II 4:3 120"	2814
Type 8	EM II 16:9 120"	3060
Type 9	EM II 16:9 136"	3410
Type 10	EM II DX 4:3 150"	3454
Type 11	EM II DX 16:9 120"	3708



## Tensioned ElectricMaster



Housing available in black and white

### Tensioned motorised wall and ceiling screen.

Following the same specifications of the ElectricMaster series, the screen surface is tensioned by a tab guide cable system. The result is a perfectly flat projection surface. The specialised motor construction and placement allows for a surprisingly quiet and reliable operation. The motor has an integrated thermic overload protection and an electric break. The permanently lubricated supports and gears guarantee a long and maintenance-free lifespan. The stable steel housing has a black or white coating and is prepared for wall and ceiling mount. The size of the projection surface is adjustable to any height.

The upper and lower end position can be defined by presets. The projection surface has a black masking border to improve the picture quality.

Tensioned ElectricMaster Formats	100"	120"	92"	106"	120" *	150" *
	4:3 Format		16:9 Format			
<b>Format plus black masking borders</b>						
Width (mm)	2032	2438	2037	2346	2656	3320
Hight (mm)	1524	1829	1145	1320	1494	1867
<b>Housing</b>						
Width (mm)	2542	2943	2542	2851	3161	3825

\* 16:9 formats 120" and 150" only available in white housings

## PermanentMaster



### Unbeatable performance at an unbeatable price

Fixed Frame screen for wall mounting. The aluminum frame is coated with black velvet. The frame edges are inserted to the straight frame parts and fixed with screws. The frame can be dismantled for transport. The flexible screen surface is white with black rear side. The surface is fixed to nubs with a tension bar to the rear side of the frame. The fixing holes of the surface are reinforced. Two hanger brackets for free positioning at the frame rear side are included.

PermanentMaster Formats	100"	120"	92"	106"
	4:3 Format		16:9 Format	
<b>Formats</b>				
Width (mm)	2032	2438	2037	2346
Hight (mm)	1524	1829	1145	1319
<b>Overall Dimensions</b>				
Width (mm)	2154	2560	2159	2468
Hight (mm)	1646	1951	1267	1441

## Dealer Information