




Price: \$1299.00

### V-R43P Triple 4" Rack Mounted LCD Panel with 2 Composite Video Inputs per Screen, Tally, Loop Through and Auto NTSC/PAL Detection

Display (Viewing area)	4" (3.23" x 2.43")
Resolution (Pixels)	480 H x 234 V
Dot Pitch	0.171 mm x 0.264 mm
Brightness (in cd/m <sup>2</sup> )	300 cd/m <sup>2</sup>
System	NTSC/PAL auto rec
Inputs per panel (total)	2 (6) Composite
Dimensions	19.125"W x 3.43"H x 1.9"D
Approx. Weight	3.5 lbs
Power Consumption	12 VDC, 3.0 Amps



The **V-R43P** is a rack mountable unit that offers three 4" high-resolution active matrix LCD panels. Each of the three 480 x 234 pixel screens has its own set of controls for color, tint, contrast, and brightness. Each panel has an on/off switch, two composite video inputs with active loop through feature, a self-powered 3 color tally system, and auto-recognition of NTSC or PAL video formats. This unit is only 2U high, can be tilted up to 100 degrees while rack mounted, and is the smallest video monitoring system of its kind. All V-R Series models are constructed of steel and aluminum, and include power supply and owners manual.


- High Resolution, 480 x 234 pixels, 112,320 total
- Compact design fits in 19-inch EIA standard rack 2U high
- Bright panels with 300 candle luminance each
- Each screen has 2 Composite Video inputs with active loop through feature
- Automatic NTSC/PAL Video Signal Detection
- Unique 100 degree tilt adjustment while mounted in rack
- Three color, self-powered tally system provided for each panel
- Dry Erase Marker for easy identifying of screens is included



Price: \$1699.00

### V-R44P Four 4" Rack Mounted Full Color Active Matrix LCD Panel

Display (Viewing area)	4" (3.23" x 2.43")
Resolution (Pixels)	480 H x 234 V
Dot Pitch	0.171 mm x 0.264 mm
Brightness (in cd/m <sup>2</sup> )	300 cd/m <sup>2</sup>
System	NTSC/PAL auto rec
Inputs per panel (total)	1 (4) Composite
Dimensions	19.125"W x 3.43"H x 1.9"D
Approx. Weight	3.5 lbs
Power Consumption	12 VDC, 3.0 Amps



The **V-R44P** is a rack mountable unit that offers four 4" high-resolution active matrix LCD panels. Each of the four 480 x 234 pixel screens has its own set of controls for color, tint, contrast, and brightness. Each panel has its own input with active loop through feature, a 3 color tally system, and auto-recognition of NTSC or PAL formats. This unit is only 2U high, and can be tilted up to 90 degrees while rack mounted, and is the smallest video monitoring system of its kind. All V-R Series models are constructed of steel and aluminum, and include power supply and owners manual.

- Ultra-compact design fits in 19-inch EIA standard rack 2U high
- High Resolution, 480 x 234 pixels, 112,320 total
- Bright panels with 300 candle luminance each
- NTSC/PAL auto recognition
- Individual color, tint, brightness and contrast controls
- Unique 100 degree tilt adjustment while mounted in rack
- Three color, self-powered tally system provided for each panel
- Dry Erase Marker for easy identifying of screens is included