



Price \$2299.00

V-R44P-SDI

Four 4" LCD's in a Rack Mounted Panel with 4 SDI Inputs and 4 built-in D/A Converters, ONLY 2 RACK SPACES HIGH

Display (Viewing area)	4" (3.23" x 2.43")
Resolution (Pixels)	480 H x 234 V
Dot Pitch	0.171 mm x 0.264 mm
Brightness (in cd/m ²)	300 cd/m ²
System	NTSC/PAL config. switch
Inputs per panel (total)	1 (4) SDI
Dimensions	19.125"W x 3.43"H x 1.9"D
Approx. Weight	4 lbs
Power Consumption	12 VDC, 3.5 Amps

Introducing the worlds smallest 4" quad rackmount with SDI inputs! The **V-R44P-SDI** is a rack mountable unit that offers four 4" high-resolution active matrix LCD panels. Each of the four 480 x 234 pixel screens has its own set of controls for color, tint, contrast, and brightness. Each panel also has a SDI input with active loop through feature, a D/A converter, a self-powered 3 color tally system and is switchable for NTSC or PAL formats. This unit is only 2U high, and can be tilted up to 90 degrees while rack mounted, making it the smallest video monitoring system of it's kind. All **V-R Series** models are constructed of steel and aluminum, and include power supply and owners manual.

- Ultra-compact design fits in 19-inch EIA standard rack 2U high
- High Resolution, 480 x 234 pixels, 112,320 total
- Four SDI to composite video converters (one per channel) built-in
- SDI active loop through with active clock recovery and automatic 75Ω termination
- Ultra bright panels with 300 candle luminance each
- Switchable for NTSC/PAL formats
- Individual color, tint, brightness and contrast controls for each panel
- Three color, self-powered tally system provided for each panel
- Unique 100 degree tilt adjustment while mounted in rack
- Dry Erase Marker for easy identifying of screens is included