



Price: \$1799.00


V-R82P Dual 7.9" Rack Mounted Full Color Active Matrix LCD Panel

Display (Viewing area)	7.9" (6.35" x 4.64")
Resolution (Pixels)	1440 H x 234 V
Dot Pitch	0.112 mm x 0.504 mm
Brightness (in cd/m ²)	350 cd/m ²
System	NTSC/PAL auto rec
Inputs per panel (total)	2 (4) Composite
Dimensions	19.12"W x 6.85"H x 2.65"D
Approx. Weight	6 lbs
Power Consumption	12 VDC, 2.0 Amps



The **V-R82P** is a rack mountable unit that has two 7.9" active matrix LCD panels. These panels have 1440 x 234 pixels making them true high-resolution screens with a brightness of 350 candle luminance. Each panel has dual inputs with active loop through feature, and auto recognition for NTSC or PAL. For added flexibility, an independent 3 color tally system is provided for each panel. Complete controls for color, tint, contrast, and brightness are provided via an on-screen menu. The unit includes power supply, manual and fits into any standard EIA 19" rack, at 4U high.


- High Resolution, 1440 x 234 pixels, 336,960 total
- Ultra bright 350 cd/m² candle luminance
- 2 Composite inputs per channel
- NTSC/PAL auto recognition
- Three color, self-powered tally system provided for each panel
- On screen menu controls color, tint, brightness and contrast controls
- Unique 180 degree tilt adjustment while mounted in rack
- Dry Erase Marker for easy identifying of screens is included



Price: \$3999.00

V-R82P-SDI Dual 8.4" Rack Mounted Full Color Active Matrix LCD Panel with Composite Video, SDI and Scalable VGA inputs

Display (Viewing area)	8.4" (6.71" x 5.03")
Resolution (Pixels)	800 H x RGB x 600 V
Dot Pitch	0.213 mm x 0.213 mm
Brightness (in cd/m ²)	350 cd/m ²
System	NTSC/PAL auto rec
Inputs per panel (total)	1(2) S-Video, 1(2) Composite, 1(2) SDI, 1(2) SXGA
Dimensions	19.12"W x 6.85"H x 2.65"D
Approx. Weight	6 lbs
Power Consumption	12 VDC, 3.0 Amps



The **V-R82P-SDI** is a rack mountable unit that has two 8.4" active matrix LCD panels. These panels have 800 x 600 pixels making them true high-resolution screens with a brightness of 350 candle luminance. Each panel has a composite video, SDI, S-Video and VGA input with active loop through feature, and auto recognition for NTSC or PAL. For added flexibility, an independent 3 color tally system is provided for each panel. Each of the two screens have individual front mounted selector buttons with color, tint, brightness and contrast controls. The unit includes power supply, manual and fits into any standard EIA 19" rack, at 4U high.

- High Resolution LCD panel, 800 x 600 pixels, 480,000 total
- Ultra bright 350 cd/m² candle luminance
- Switchable 4:3 and 16:9 ratios
- 1 composite video, S-Video and SDI inputs per monitor with active loop through feature
- 1 SXGA scalable input per panel
- SDI Active loop through has active clock recovery with automatic 75Ω termination
- 2 High Resolution 10-bit SDI to composite video converters, (one per panel)
- Scaler accepts following resolutions 640 x 480, 800 x 600, 1024 x 768, 1152 x 864 and 1280 x 1024
- Individual color, tint, brightness and contrast controls for each panel
- Built-in memory saves current setup when unit is powered down
- Includes power supply
- Three color, self-powered tally system provided for each panel
- Built-in Color Bar Generator
- Unique 180 degree tilt adjustment while mounted in rack
- Dry Erase Marker for easy identifying of screens is included